

MACHOS DE MANO

TARAUDS À MAIN / HAND TAPS

2304 HSS DIN 352

BSW
BS 84




Aceros 400 - 800 N/mm²

Aciers / Steel

Aplicaciones / Applications

Macho 3° }
Taraud 3° } PVP = €/3
Tap 3° }



Ø x P	Nº	€	L mm	I mm	∅ mm
W3/32 - 48h	3		36	10	2,10
W1/8 - 40h	3		40	12	2,70
W5/32 - 32h	3		45	14	3,40
W3/16 - 24h	3		50	18	4,90
W7/32 - 24h	3		50	18	4,90
W1/4 - 20h	3		50	19	4,90
W5/16 - 18h	3		56	22	4,90
W3/8 - 16h	3		70	24	5,50
W7/16 - 14h	3		70	24	6,20
W1/2 - 12h	3		75	29	7,00
W9/16 - 12h	3		80	30	9,00
W5/8 - 11h	3		80	32	9,00
W3/4 - 10h	3		95	40	11,00
W7/8 - 9h	3		100	40	14,50

Ø x P	Nº	€	L mm	I mm	∅ mm
W1" - 8h	3		110	50	14,50
W1"1/8 - 7h	3		132	56	18,00
W1"1/4 - 7h	3		132	56	18,00
W1"3/8 - 6h	3		150	63	22,00
W1"1/2 - 6h	3		150	63	24,00
W1"5/8 - 5h	3		160	70	24,00
W1"3/4 - 5h	3		160	70	29,00
W1"7/8 - 4,5h	3		190	80	29,00
W2" - 4,5h	3		190	80	32,00
W2"1/4 - 4h	3		220	80	35,00
W2"1/2 - 4h	3		220	80	39,00
W2"3/4 - 3,5h	3		240	80	39,00
W3" - 3,5h	3		240	80	39,00

2304/5 HSS DIN 352 Izquierda / A gauche / Left hand

BSW
BS 84




Aceros 400 - 800 N/mm²

Aciers / Steel

Aplicaciones / Applications

Macho 3° }
Taraud 3° } PVP = €/3
Tap 3° }



Ø x P	Nº	€	L mm	I mm	∅ mm
W1/8 - 40h	3		40	12	2,70
W5/32 - 32h	3		45	14	3,40
W3/16 - 24h	3		50	18	4,90
W1/4 - 20h	3		50	19	4,90
W5/16 - 18h	3		56	22	4,90
W3/8 - 16h	3		70	24	4,90
W7/16 - 14h	3		70	24	6,20

Ø x P	Nº	€	L mm	I mm	∅ mm
W1/2 - 12h	3		75	29	7,00
W9/16 - 12h	3		80	30	9,00
W5/8 - 11h	3		80	32	9,00
W3/4 - 10h	3		95	40	11,00
W7/8 - 9h	3		100	40	14,50
W1" - 8h	3		110	50	14,50

MACHOS DE MANO

TARAUDS À MAIN / HAND TAPS

2305 HSS DIN 2181

BSF
BS 84





Aceros 400 - 800 N/mm²

Aciers / Steel

Aplicaciones / Applications

Macho 3°
Taraud 3° } PVP = €/2
Tap 3°



Ø x P	Nº	€	L mm	I mm	∅ mm
BSF3/16 - 32h	2		50	14	4,90
BSF1/4 - 26h	2		50	18	4,90
BSF5/16 - 22h	2		56	22	4,90
BSF3/8 - 20h	2		63	22	5,50
BSF7/16 - 18h	2		63	22	6,20
BSF1/2 - 16h	2		75	24	7,00
BSF9/16 - 16h	2		80	28	9,00

Ø x P	Nº	€	L mm	I mm	∅ mm
BSF5/8 - 14h	2		50	28	9,00
BSF3/4 - 12h	2		95	32	11,00
BSF7/8 - 11h	2		100	36	14,50
BSF1" - 10h	2		110	40	14,50
BSF1"1/8 - 9h	2		110	22	18,00
BSF1"1/4 - 9h	2		110	22	18,00
BSF1"1/2 - 8h	2		125	40	24,00

2306 HSS DIN 5157

G
ISO 228





Aceros 400 - 800 N/mm²

Aciers / Steel

Aplicaciones / Applications

Macho 3°
Taraud 3° } PVP = €/2
Tap 3°



Ø x P	Nº	€	L mm	I mm	∅ mm
G1/8 - 28h	2		63	20	5,50
G1/4 - 19h	2		70	22	9,00
G3/8 - 19h	2		70	22	9,00
G1/2 - 14h	2		80	22	12,00
G5/8 - 14h	2		80	22	14,50
G3/4 - 14h	2		90	22	16,00
G7/8 - 14h	2		90	22	18,00
G1" - 11h	2		100	25	20,00
G1"1/8 - 11h	2		125	40	22,00

Ø x P	Nº	€	L mm	I mm	∅ mm
G1"1/4 - 11h	2		125	40	24,00
G1"3/8 - 11h	2		140	40	29,00
G1"1/2 - 11h	2		140	40	29,00
G1"3/4 - 11h	2		140	40	32,00
G2" - 11h	2		160	40	35,00
G2"1/4 - 11h	2		160	40	39,00
G2"1/2 - 11h	2		160	40	39,00
G2"3/4 - 11h	2		160	40	39,00
G3" - 11h	2		160	40	39,00

MACHOS DE MANO

TARAUDS À MAIN / HAND TAPS

2306/5 HSS DIN 5157 Izquierda / A gauche / Left hand

G
ISO 228





Aceros 400 - 800 N/mm²

Aciers / Steel

Aplicaciones / Applications

Macho 3°
Taraud 3° PVP = €/2
Tap 3°



Ø x P	Nº	€	L mm	I mm	∇ mm
G1/8 - 38h	2		63	20	5,50
G1/4 - 19h	2		70	22	9,00
G3/8 - 19h	2		70	22	9,00
G1/2 - 14h	2		80	22	12,00

Ø x P	Nº	€	L mm	I mm	∇ mm
G5/8 - 14h	2		80	22	14,50
G3/4 - 14h	2		90	22	16,00
G1" - 11h	2		100	25	20,00

2316 HSS DIN 5157




G
ISO 228



Latón y bronce

Laiton et Bronze / Brass and bronze

Aplicaciones / Applications



Ø x P	Nº	€	L mm	I mm	∇ mm
G1/8 - 28h	1		63	20	5,50
G1/4 - 19h	1		70	22	9,00
G3/8 - 19h	1		70	22	9,00
G1/2 - 14h	1		80	22	12,00

Ø x P	Nº	€	L mm	I mm	∇ mm
G5/8 - 14h	1		80	22	14,50
G3/4 - 14h	1		90	22	16,00
G7/8 - 14h	1		90	22	18,00
G1" - 11h	1		100	25	20,00

2317 HSS DIN 5157



G
ISO 228




+0,1

Latón y bronce

Laiton et Bronze / Brass and bronze

Aplicaciones / Applications



Ø x P	Nº	€	L mm	I mm	∇ mm
G1/8 - 28h	1		63	20	5,50
G1/4 - 19h	1		70	22	9,00
G3/8 - 19h	1		70	22	9,00
G1/2 - 14h	1		80	22	12,00

Ø x P	Nº	€	L mm	I mm	∇ mm
G5/8 - 14h	1		80	22	14,50
G3/4 - 14h	1		90	22	16,00
G7/8 - 14h	1		90	22	18,00
G1" - 11h	1		100	25	20,00