

# MACHOS DE MÁQUINA

## TARAUDS MACHINE / MACHINE TAPS

2162

**HSSE DIN 371**

BA  
BS 93

Form.  
C



BSB  
93

R

Aceros 400 - 800 N/mm<sup>2</sup>

Aciers / Steel

F 1100  
N/mm<sup>2</sup>

Aplicaciones / Applications



Ø x P	€	L mm	I mm	∠ mm	d mm
BA 0 (6,00 x 1,00)		80	16	4,90	6,0
BA 1 (5,30 x 0,90)		80	16	4,90	6,0
BA 2 (4,70 x 0,81)		70	14	4,90	6,0
BA 3 (4,10 x 0,73)		63	13	3,40	4,5
BA 4 (3,60 x 0,66)		56	12	3,00	4,0

Ø x P	€	L mm	I mm	∠ mm	d mm
BA 5 (3,20 x 0,59)		56	11	2,70	3,5
BA 6 (2,80 x 0,53)		56	11	2,70	3,5
BA 7 (2,50 x 0,48)		50	9	2,10	2,8
BA 8 (2,20 x 0,43)		45	9	2,10	2,8

2163

**HSSE DIN 40433**

PG  
DIN 40430

Form.  
C



D

Aceros 400 - 800 N/mm<sup>2</sup>

Aciers / Steel

F 1100  
N/mm<sup>2</sup>

Aplicaciones / Applications



Ø x P	€	L mm	I mm	∠ mm	d mm
Pg.7 (12,50 x 20h)		100	22	7,00	9,0
Pg.9 (15,20 x 18h)		100	22	9,00	12,0
Pg.11 (18,60 x 18h)		110	25	11,00	14,0
Pg.13,50 (20,40 x 18h)		125	25	12,00	16,0
Pg.16 (22,50 x 18h)		125	25	14,50	18,0

Ø x P	€	L mm	I mm	∠ mm	d mm
Pg.21 (28,30 x 16h)		150	28	18,00	22,0
Pg.29 (37,00 x 16h)		170	30	22,00	28,0
Pg.36 (47,00 x 16h)		190	32	29,00	36,0
Pg.42 (54,00 x 16h)		190	32	32,00	40,0
Pg.48 (59,30 x 16h)		220	40	35,00	45,0

2164

**HSSE DIN 374**

NPT  
ANSI/ASME  
B1.20.1

Form.  
C



Tol.  
6H

D

Aceros 400 - 800 N/mm<sup>2</sup>

Aciers / Steel

F 1100  
N/mm<sup>2</sup>

Aplicaciones / Applications



Ø x P	€	L mm	I mm	∠ mm	d mm
1/16 - 27h		90	12	4,90	6,0
1/8 - 27h		90	12	6,20	8,0
1/4 - 18h		100	18	9,00	11,0
3/8 - 18h		110	18	11,00	12,0
1/2 - 14h		140	23	12,00	16,0

Ø x P	€	L mm	I mm	∠ mm	d mm
3/4 - 14h		150	24	16,00	20,0
1" - 11,5h		170	30	20,00	25,0
1"1/4 - 11,5h		170	45	24,00	32,0
1"1/2 - 11,5h		190	45	29,00	36,0
2" - 11,5h		225	45	35,00	45,0

174

Репик RF

# MACHOS DE MÁQUINA

## TARAUDS MACHINE / MACHINE TAPS

### 2209 HSSE DIN 374



NPTF  
ANSI/ASME  
B1.20.1

Form.  
C




D

Aceros 400 - 800 N/mm<sup>2</sup>

Aciers / Steel


F 1100  
N/mm<sup>2</sup>

Aplicaciones / Applications



Ø x P	€	L mm	l mm	∠ mm	d mm
NPTF 1/8 - 27h		90	12	6,20	8,0
NPTF 1/4 - 18h		100	18	9,00	11,0
NPTF 3/8 - 18h		110	18	9,00	12,0

Ø x P	€	L mm	l mm	∠ mm	d mm
NPTF 1/2 - 14h		140	23	12,00	16,0
NPTF 3/4 - 14h		150	24	16,00	20,0



### 2210 HSSE DIN 374



NPS  
ANSI/ASME  
B1.20.1

Form.  
C




D

Aceros 400 - 800 N/mm<sup>2</sup>

Aciers / Steel

F 1100  
N/mm<sup>2</sup>

Aplicaciones / Applications



Ø x P	€	L mm	l mm	∠ mm	d mm
NPS 1/8 - 27h		90	20	5,50	7,0
NPS 1/4 - 18h		100	22	9,00	11,0
NPS 3/8 - 18h		100	22	9,00	12,0

Ø x P	€	L mm	l mm	∠ mm	d mm
NPS 1/2 - 14h		125	25	12,00	16,0
NPS 3/4 - 14h		140	28	16,00	20,0
NPS 1" - 11,50h		160	30	20,00	25,0

# MACHOS DE MÁQUINA

## TARAUDS MACHINE / MACHINE TAPS

2211

**HSSE DIN 374**

in!

NPSF  
ANSI/ASME  
B1.20.1

Form.  
C



Tol.  
6H


D

Aceros 400 - 800 N/mm<sup>2</sup>

Aciers / Steel

F 1100 N/mm<sup>2</sup>

Aplicaciones / Applications



Ø x P	€	L mm	l mm	mm	d mm
NPSF 1/8 - 27h		90	20	5,50	7,0
NPSF 1/4 - 18h		100	22	9,00	11,0
NPSF 3/8 - 18h		100	22	9,00	12,0

Ø x P	€	L mm	l mm	mm	d mm
NPSF 1/2 - 14h		125	25	12,00	16,0
NPSF 3/4 - 14h		140	28	16,00	20,0

2212

**HSSE**

in!

Tr  
DIN 103




Tol.  
7H

Aceros 400 - 800 N/mm<sup>2</sup>

Aciers / Steel

F 1100 N/mm<sup>2</sup>

Aplicaciones / Applications



Ø x P	€	L mm	l mm	mm	d mm
Tr 10x2		110	63	5,50	7,0
Tr 10x3		125	75	5,50	7,0
Tr 12x3		165	111	6,20	8,0
Tr 14x3		140	85	8,00	10,0
Tr 14x4		170	112	8,00	10,0
Tr 16x4		180	116	9,00	11,0
Tr 18x4		190	120	9,00	12,0

Ø x P	€	L mm	l mm	mm	d mm
Tr 20x4		200	124	11,00	14,0
Tr 22x5		235	155	12,00	16,0
Tr 24x5		245	160	14,50	18,0
Tr 26x5		255	165	16,00	20,0
Tr 28x5		265	170	18,00	22,0
Tr 30x6		290	185	18,00	22,0
Tr 32x6		300	191	20,00	25,0