

MACHOS DE MÁQUINA IZQUIERDAS

TARAUDS MACHINE A GAUCHE / LEFT HAND MACHINE TAPS

2101/5

HSSE DIN 376/374

M
DIN 13

MF
DIN 13

Form.
C



Tol.
6H



D

Aceros 400 - 800 N/mm²

Aciers / Steel

F 1100
N/mm²

Aplicaciones / Applications



Ø x P mm	€	L mm	I mm	∠ mm	d mm
M5 x 0,80		70	16	2,70	3,5
M6 x 1,00		80	18	3,40	4,5
M7 x 1,00		80	18	4,30	5,5
MF8 x 1,00		90	20	4,90	6,0
M8 x 1,25		90	20	4,90	6,0
M9 x 1,25		90	20	5,50	7,0
MF10 x 1,00		90	20	5,50	7,0
M10 x 1,50		100	22	5,50	7,0
MF12 x 1,25		100	22	7,00	7,0
MF12 x 1,50		100	22	7,00	9,0
M12 x 1,75		110	27	7,00	9,0
MF14 x 1,50		100	22	9,00	9,0
M14 x 2,00		110	30	9,00	11,0

Ø x P mm	€	L mm	I mm	∠ mm	d mm
MF16 x 1,50		100	22	9,00	11,0
M16 x 2,00		110	30	9,00	12,0
MF18 x 1,50		110	25	11,00	12,0
M18 x 2,50		125	34	11,00	14,0
MF20 x 1,50		125	25	12,00	14,0
M20 x 2,50		140	35	12,00	16,0
MF22 x 1,50		125	25	14,50	18,0
M22 x 2,50		140	34	14,50	18,0
MF24 x 1,50		140	28	14,50	18,0
M24 x 3,00		160	38	14,50	18,0
M27 x 3,00		160	38	16,00	20,0
M30 x 3,50		180	45	18,00	22,0

2102/5

HSSE DIN 371

M
DIN 13

Form.
C



Tol.
6H



R

Aceros 400 - 800 N/mm²

Aciers / Steel

F 1100
N/mm²

Aplicaciones / Applications



Ø x P mm	€	L mm	I mm	∠ mm	d mm
M3 x 0,50		56	11	2,70	3,5
M4 x 0,70		63	13	3,40	4,5
M5 x 0,80		70	16	4,90	6,0

Ø x P mm	€	L mm	I mm	∠ mm	d mm
M6 x 1,00		80	19	4,90	6,0
M8 x 1,25		90	22	6,20	8,0
M10 x 1,50		100	24	8,00	10,0

in!

2135/5

HSSE DIN 376

BSW
BS 84

Form.
C




D

Aceros 400 - 800 N/mm²

Aciers / Steel

F 1100
N/mm²

Aplicaciones / Applications



Ø x P mm	€	L mm	I mm	∠ mm	d mm
W1/4 - 20h		80	18	3,40	4,5
W5/16 - 18h		90	20	4,90	6,0
W3/8 - 16h		100	22	5,50	7,0
W7/16 - 14h		100	22	6,20	8,0
W1/2 - 12h		110	27	7,00	9,0

Ø x P mm	€	L mm	I mm	∠ mm	d mm
W9/16 - 12h		110	30	9,00	11,0
W5/8 - 11h		110	30	9,00	12,0
W3/4 - 10h		125	35	11,00	14,0
W7/8 - 9h		140	36	14,50	18,0
W1" - 8h		160	38	14,50	18,0

MACHOS DE MÁQUINA IZQUIERDAS

TARAUDS MACHINE A GAUCHE / LEFT HAND MACHINE TAPS


2136/5

HSSE DIN 371

in!

BSW
BS 84

Form.
C




Aceros 400 - 800 N/mm²

Aciers / Steel

F 1100
N/mm²

Aplicaciones / Applications



Ø x P mm	€	L mm	I mm	∠ mm	d mm
W 1/8 - 40h		56	11	2,70	3,5
W 5/32 - 32h		63	13	3,40	4,5
W 3/16 - 24h		70	14	4,90	6,0

2144/5

HSSE DIN 5156

G
ISO 228

Form.
C



Aceros 400 - 800 N/mm²

Aciers / Steel

F 1100
N/mm²

Aplicaciones / Applications



Ø x P mm	€	L mm	I mm	∠ mm	d mm
G1/8 - 28h		90	20	5,50	7,0
G1/4 - 19h		100	22	9,00	11,0
G3/8 - 19h		100	22	9,00	12,0
G1/2 - 14h		125	25	12,00	16,0

Ø x P mm	€	L mm	I mm	∠ mm	d mm
G5/8 - 14h		125	25	14,50	18,0
G3/4 - 14h		140	28	16,00	20,0
G1" - 11h		160	30	20,00	25,0

2147/5

HSSE DIN 376

in!

UNC
ANSI/ASME
B1.1

Form.
C



Aceros 400 - 800 N/mm²

Aciers / Steel

F 1100
N/mm²

Aplicaciones / Applications



Ø x P mm	€	L mm	I mm	∠ mm	d mm
UNC 1/4 - 20h		80	18	3,40	4,5
UNC 5/16 - 18h		90	20	4,90	6,0
UNC 3/8 - 16h		100	22	5,50	7,0
UNC 7/16 - 14h		100	22	6,20	8,0
UNC 1/2 - 13h		110	27	7,00	9,0

Ø x P mm	€	L mm	I mm	∠ mm	d mm
UNC 9/16 - 12h		110	30	9,00	11,0
UNC 5/8 - 11h		110	30	9,00	12,0
UNC 3/4 - 10h		125	35	11,00	14,0
UNC 7/8 - 9h		140	36	14,50	18,0
UNC 1" - 8h		160	38	14,50	18,0

MACHOS DE MÁQUINA IZQUIERDAS

TARAUDS MACHINE A GAUCHE / LEFT HAND MACHINE TAPS

2153/5

HSSE DIN 374



UNF
ANSI/ASME
B1.1

Form.
C




Aceros 400 - 800 N/mm²

Aciers / Steel

F 1100 N/mm²

Aplicaciones / Applications



Ø x P mm	€	L mm	I mm	∠ mm	d mm	Ø x P mm	€	L mm	I mm	∠ mm	d mm
UNF 1/4 - 28h		80	18	3,40	4,5	UNF 9/16 - 18h		100	22	9,00	11,0
UNF 5/16 - 24h		90	20	4,90	6,0	UNF 5/8 - 18h		100	22	9,00	12,0
UNF 3/8 - 24h		90	20	5,50	7,0	UNF 3/4 - 16h		110	25	11,00	14,0
UNF 7/16 - 20h		90	22	6,20	8,0	UNF 7/8 - 14h		125	25	14,50	18,0
UNF 1/2 - 20h		100	22	7,00	9,0	UNF 1" - 12h		140	28	14,50	18,0

2212/5

HSSE



Tr
DIN 103



ToL.
7H




Aceros 400 - 800 N/mm²

Aciers / Steel

F 1100 N/mm²

Aplicaciones / Applications



Ø x P	€	L mm	I mm	∠ mm	d mm	Ø x P	€	L mm	I mm	∠ mm	d mm
Tr 10x2		110	63	5,50	7,0	Tr 20x4		200	124	11,00	14,0
Tr 10x3		125	75	5,50	7,0	Tr 22x5		235	155	12,00	16,0
Tr 12x3		165	111	6,20	8,0	Tr 24x5		245	160	14,50	18,0
Tr 14x3		140	85	8,00	10,0	Tr 26x5		255	165	16,00	20,0
Tr 14x4		170	112	8,00	10,0	Tr 28x5		265	170	18,00	22,0
Tr 16x4		180	116	9,00	11,0	Tr 30x6		290	185	18,00	22,0
Tr 18x4		190	120	9,00	12,0	Tr 32x6		300	191	20,00	25,0