

MACHOS DE MÁQUINA

TARAUDS MACHINE / MACHINE TAPS

2148

HSSE DIN 371

UNC
ANSI/ASME
B1.1

Form.
C



Tol.
2B



Aceros 400 - 800 N/mm²

Aciers / Steel

F 1100
N/mm²

Aplicaciones / Applications



Ø x P	€	L mm	l mm	∠ mm	d mm
N°4 - 40h		56	11	2,70	3,5
N°5 - 40h		56	11	2,70	3,5
N°6 - 32h		56	12	3,00	4,0
N°8 - 32h		63	13	3,40	4,5

Ø x P	€	L mm	l mm	∠ mm	d mm
N°10 - 24h		70	14	4,90	6,0
N°12 - 24h		80	16	4,90	6,0
1/4 - 20h		80	16	5,50	7,0
5/16 - 18h		90	20	6,20	8,0

2147

HSSE DIN 376

UNC
ANSI/ASME
B1.1

Form.
C



Tol.
2B



Aceros 400 - 800 N/mm²

Aciers / Steel

F 1100
N/mm²

Aplicaciones / Applications



Ø x P	€	L mm	l mm	∠ mm	d mm
1/4 - 20h		80	18	3,40	4,5
5/16 - 18h		90	20	4,90	6,0
3/8 - 16h		100	22	5,50	7,0
7/16 - 14h		100	22	6,20	8,0
1/2 - 13h		110	27	7,00	9,0
9/16 - 12h		110	30	9,00	11,0
5/8 - 11h		110	30	9,00	12,0

Ø x P	€	L mm	l mm	∠ mm	d mm
3/4 - 10h		125	35	11,00	14,0
7/8 - 9h		140	36	14,50	18,0
1" - 8h		160	38	14,50	18,0
1"1/8 - 7h		180	45	18,00	22,0
1"1/4 - 7h		180	45	18,00	22,0
1"1/2 - 6h		200	55	24,00	32,0

MACHOS DE MÁQUINA

TARAUDS MACHINE / MACHINE TAPS

2150 HSSE DIN 371

UNC
ANSI/ASME
B1.1

Form.
B
"Gun"



Tol.
2B


R

Aceros 400 - 800 N/mm²

Aciers / Steel


F 1100
N/mm²

Aplicaciones / Applications



Ø x P	€	L mm	I mm	∠ mm	d mm
N°4 - 40h		56	11	2,70	3,5
N°5 - 40h		56	11	2,70	3,5
N°6 - 32h		56	12	3,00	4,0
N°8 - 32h		63	13	3,40	4,5

Ø x P	€	L mm	I mm	∠ mm	d mm
N°10 - 24h		70	14	4,90	6,0
N°12 - 24h		80	16	4,90	6,0
1/4 - 20h		80	18	5,50	7,0
5/16 - 18h		90	20	6,20	8,0



2149 HSSE DIN 376

UNC
ANSI/ASME
B1.1

Form.
B
"Gun"



Tol.
2B


D

Aceros 400 - 800 N/mm²

Aciers / Steel

F 1100
N/mm²

Aplicaciones / Applications



Ø x P	€	L mm	I mm	∠ mm	d mm
1/4 - 20h		80	18	3,40	4,5
5/16 - 18h		90	20	4,90	6,0
3/8 - 16h		100	22	5,50	7,0
7/16 - 14h		100	22	6,20	8,0
1/2 - 13h		110	27	7,00	9,0
9/16 - 12h		110	30	9,00	11,0

Ø x P	€	L mm	I mm	∠ mm	d mm
5/8 - 11h		110	30	9,00	12,0
3/4 - 10h		125	35	11,00	14,0
7/8 - 9h		140	36	14,50	18,0
1" - 8h		160	38	14,50	18,0
1"1/8 - 7h		180	45	18,00	22,0
1"1/4 - 7h		180	45	18,00	22,0

MACHOS DE MÁQUINA

TARAUDS MACHINE / MACHINE TAPS

2152 HSSE DIN 371

UNC
ANSI/ASME
B1.1

Form.
C



Tol.
2B




Aceros 400 - 800 N/mm²

Aciers / Steel

F 1100
N/mm²

Aplicaciones / Applications



Ø x P	€	L mm	l mm	∠ mm	d mm
Nº4 - 40h		56	5	2,70	3,5
Nº5 - 40h		56	5	2,70	3,5
Nº6 - 32h		56	6	3,00	4,0
Nº8 - 32h		63	7	3,40	4,5

Ø x P	€	L mm	l mm	∠ mm	d mm
Nº10 - 24h		70	8	4,90	6,0
Nº12 - 24h		80	11	4,90	6,0
1/4 - 20h		80	13	5,50	7,0
5/16 - 18h		90	13	6,20	8,0

2151 HSSE DIN 376

UNC
ANSI/ASME
B1.1

Form.
C



Tol.
2B




Aceros 400 - 800 N/mm²

Aciers / Steel

F 1100
N/mm²

Aplicaciones / Applications



Ø x P	€	L mm	l mm	∠ mm	d mm
1/4 - 20h		80	13	3,40	4,5
5/16 - 18h		90	13	4,90	6,0
3/8 - 16h		100	16	5,50	7,0
7/16 - 14h		100	25	6,20	8,0
1/2 - 13h		110	22	7,00	9,0
9/16 - 12h		110	18	9,00	11,0

Ø x P	€	L mm	l mm	∠ mm	d mm
5/8 - 11h		110	22	9,00	12,0
3/4 - 10h		125	25	11,00	14,0
7/8 - 9h		140	28	14,50	18,0
1" - 8h		160	32	14,50	18,0
1"1/8 - 7h		180	35	18,00	22,0
1"1/4 - 7h		180	35	18,00	22,0

MACHOS DE MÁQUINA

TARAUDS MACHINE / MACHINE TAPS

2154 HSSE DIN 371

UNF
ANSI/ASME
B1.1

Form.
C



Tol.
2B




Aceros 400 - 800 N/mm²

Aciers / Steel

F 1100
N/mm²

Aplicaciones / Applications



Ø x P	€	L mm	I mm	∇ mm	d mm
Nº4 - 48h		56	11	2,70	3,5
Nº5 - 44h		56	11	2,70	3,5
Nº6 - 40h		56	12	3,00	4,0
Nº8 - 36h		63	13	3,40	4,5

Ø x P	€	L mm	I mm	∇ mm	d mm
Nº10 - 32h		70	14	4,90	6,0
Nº12 - 28h		80	16	4,90	6,0
1/4 - 28h		80	16	5,50	7,0
5/16 - 24h		90	20	6,20	8,0

2153 HSSE DIN 374

UNF
ANSI/ASME
B1.1

Form.
C



Tol.
2B




Aceros 400 - 800 N/mm²

Aciers / Steel

F 1100
N/mm²

Aplicaciones / Applications



Ø x P	€	L mm	I mm	∇ mm	d mm
1/4 - 28h		80	18	3,40	4,5
5/16 - 24h		90	20	4,90	6,0
3/8 - 24h		90	20	5,50	7,0
7/16 - 20h		90	22	6,20	8,0
1/2 - 20h		100	22	7,00	9,0
9/16 - 18h		100	22	9,00	11,0
5/8 - 18h		100	22	9,00	12,0

Ø x P	€	L mm	I mm	∇ mm	d mm
3/4 - 16h		110	25	11,00	14,0
7/8 - 14h		125	25	14,50	18,0
1" - 12h		140	28	14,50	18,0
1"1/8 - 12h		150	28	18,00	22,0
1"1/4 - 12h		150	28	18,00	22,0
1"1/2 - 12h		170	30	24,00	32,0

MACHOS DE MÁQUINA

TARAUDS MACHINE / MACHINE TAPS

2156 HSSE DIN 371

UNF
ANSI/ASME
B1.1

Form.
B
"Gun"



Tol.
2B



Aceros 400 - 800 N/mm²

Aciers / Steel

F 1100
N/mm²

Aplicaciones / Applications



Ø x P	€	L mm	I mm	∠ mm	d mm
N°4 - 48h		56	11	2,70	3,5
N°5 - 44h		56	11	2,70	3,5
N°6 - 40h		56	12	3,00	4,0
N°8 - 36h		63	13	3,40	4,5

Ø x P	€	L mm	I mm	∠ mm	d mm
N°10 - 32h		70	14	4,90	6,0
N°12 - 28h		80	16	4,90	6,0
1/4 - 28h		80	16	5,50	7,0
5/16 - 24h	1	90	20	6,20	8,0

2155 HSSE DIN 374

UNF
ANSI/ASME
B1.1

Form.
B
"Gun"



Tol.
2B




Aceros 400 - 800 N/mm²

Aciers / Steel

F 1100
N/mm²

Aplicaciones / Applications



Ø x P	€	L mm	I mm	∠ mm	d mm
1/4 - 28h		80	18	3,40	4,5
5/16 - 24h		90	20	4,90	6,0
3/8 - 24h		90	20	5,50	7,0
7/16 - 20h		90	22	6,20	8,0
1/2 - 20h		100	22	7,00	9,0

Ø x P	€	L mm	I mm	∠ mm	d mm
9/16 - 18h		100	22	9,00	11,0
5/8 - 18h		100	22	9,00	12,0
3/4 - 16h		110	25	11,00	14,0
7/8 - 14h		125	25	14,50	18,0
1" - 12h		140	28	14,50	18,0

MACHOS DE MÁQUINA

TARAUDS MACHINE / MACHINE TAPS

2158 HSSE DIN 371

UNF
ANSI/ASME
B1.1

Form.
C



Tol.
2B




R

Aceros 400 - 800 N/mm²

Aciers / Steel

F 1100
N/mm²

Aplicaciones / Applications



Ø x P	€	L mm	l mm	∠ mm	d mm
Nº4 - 48h		56	5	2,70	3,5
Nº5 - 44h		56	5	2,70	3,5
Nº6 - 40h		56	6	3,00	4,0
Nº8 - 36h		63	7	3,40	4,5

Ø x P	€	L mm	l mm	∠ mm	d mm
Nº10 - 32h		70	8	4,90	6,0
Nº12 - 28h		80	11	4,90	6,0
1/4 - 28h		80	13	5,50	7,0
5/16 - 24h		90	13	6,20	8,0

2157 HSSE DIN 374

UNF
ANSI/ASME
B1.1

Form.
C



Tol.
2B




D

Aceros 400 - 800 N/mm²

Aciers / Steel

F 1100
N/mm²

Aplicaciones / Applications



Ø x P	€	L mm	l mm	∠ mm	d mm
1/4 - 28h		80	13	3,40	4,5
5/16 - 24h		90	13	4,90	6,0
3/8 - 24h		90	16	5,50	7,0
7/16 - 20h		90	15	6,20	8,0
1/2 - 20h		100	22	7,00	9,0

Ø x P	€	L mm	l mm	∠ mm	d mm
9/16 - 18h		100	22	9,00	11,0
5/8 - 18h		100	22	9,00	12,0
3/4 - 16h		110	25	11,00	14,0
7/8 - 14h		125	25	14,50	18,0
1" - 12h		140	28	14,50	18,0

MACHOS DE MÁQUINA

TARAUDS MACHINE / MACHINE TAPS

2189

HSSE DIN 374

UN
ANSI/ASME
B1.1

Form.
C



Tol.
2B


D

Aceros 400 - 800 N/mm²

Aciers / Steel

F 1100
N/mm²

Aplicaciones / Applications



Ø x P	€	L mm	l mm	mm	d mm
UN1"1/8 - 8h		180	45	18,00	22,0
UN1"1/4 - 8h		180	45	18,00	22,0
UN1"3/8 - 8h		200	56	22,00	28,0
UN1"1/2 - 8h		200	60	24,00	32,0

Ø x P	€	L mm	l mm	mm	d mm
UN1"5/8 - 8h		200	60	24,00	32,0
UN1"3/4 - 8h		200	50	29,00	36,0
UN2" - 8h		225	50	32,00	40,0

2143

HSSE DIN 374

in!

UNS
ANSI/ASME
B1.1

Form.
C



Tol.
2B


D

Aceros 400 - 800 N/mm²

Aciers / Steel

F 1100
N/mm²

Aplicaciones / Applications



Ø x P	€	L mm	l mm	mm	d mm
UNS 1" - 14h		140	28	14,50	18,0

MACHOS DE MÁQUINA

TARAUDS MACHINE / MACHINE TAPS

2159 HSSE DIN 5156

Rc DIN 2999	Form. C		D
----------------	------------	---	---

Aceros 400 - 800 N/mm²

Aciers / Steel F 1100 N/mm²


Aplicaciones / Applications



Ø x P	€	L mm	l mm	∇ mm	d mm
Rc 1/8 - 28h		90	28	5,50	7,0
Rc 1/4 - 19h		100	28	9,00	11,0
Rc 3/8 - 19h		100	28	9,00	12,0
Rc 1/2 - 14h		125	36	12,00	16,0

Ø x P	€	L mm	l mm	∇ mm	d mm
Rc 5/8 - 14h		125	36	14,50	18,0
Rc 3/4 - 14h		140	36	16,00	20,0
Rc 7/8 - 14h		150	36	18,00	22,0
Rc 1" - 11h		160	40	20,00	25,0


2160 HSSE DIN 374

UNEF ANSI/ASME B1.1	Form. C		Tol. 2B	D
---------------------------	------------	---	------------	---

Aceros 400 - 800 N/mm²

Aciers / Steel F 1100 N/mm²

Aplicaciones / Applications



Ø x P	€	L mm	l mm	∇ mm	d mm
1/4 - 32h		80	18	3,40	4,5
5/16 - 32h		90	20	4,90	6,0
3/8 - 32h		90	20	5,50	7,0
7/16 - 28h		90	22	6,20	8,0
1/2 - 28h		100	22	7,00	9,0

Ø x P	€	L mm	l mm	∇ mm	d mm
9/16 - 24h		100	22	9,00	11,0
5/8 - 24h		100	22	9,00	12,0
3/4 - 20h		110	25	11,00	14,0
1" - 20h		140	28	14,50	18,0